

Add: **2nd Yueming, Shiyan, Baoang, Shenzhen, Guangdong, China,518108**

Tel: 0086-755-23050517

Whatsapp: +86 132 6710 9053

Web: www.abrightled.com

E-mail: info@abrightled.com

Client	
Project	
Model	
Quantity	
Date	

Art-Net Node 2/4/8 and 16 DMX Universes System



Titan A2



Titan A4



Titan A8



Titan A16

Product Features


- Colordreamer Titan converts Art-Net data from ethernet network to DMX512.
- Colordreamer Titan Family Artnet Controller has 2Universes (Titan A2), 4Universes (Titan A4), 8 universes (Titan A8) and 16 universes (Titan A16) available.
- Perfect synchronization between each universe.
- Colordreamer Titan offers powerful features, especially in combination with Colordreamer software.
- Take full advantage of pixel mapping and voxel mapping, easy to install.
- The device is ready within seconds after start-up. An HTP Merge is automatically available for two Art-Net sources. If required, you can access and change specific device settings using the built-in web configuration tool.

Specification

Model	Titan A2	Titan A4	Titan A8	Titan A16
Power Input	100-240VAC 50/60Hz	100-240VAC 50/60Hz	100-240VAC 50/60Hz	100-240VAC 50/60Hz
Input Protocol	ARTNET	ARTNET	ARTNET	ARTNET
Output Protocol	DMX512	DMX512	DMX512	DMX512
Refresh Rate	40Fps	40Fps	40Fps	40Fps
Defaulty IP	192.168.1.100	192.168.1.100	192.168.1.100	192.168.1.100
Defaulty Subnet	255.255.255.0	255.255.255.0	255.255.255.0	255.255.255.0
Cable	Net cable	Net cable	Net cable	Net cable
DMX512(Out)	2X512 channels	4X512 channels	8X512 channels	16X512 channels
Ethernet Port	RJ45	RJ45/Fiber	RJ45	RJ45
DMX512 Ports	3Pin/5Pin XLR female	3Pin/5Pin XLR female	3Pin/5Pin XLR female	3Pin/5Pin XLR female
Housing	Silver Metal	Black Metal	Black Metal	Black Metal
IP	IP20	IP20	IP20	IP20
Dimension (body)	115x63x38mm	117.6x92.8x38 mm	440x136.6x44 mm	440x136.6x44 mm
Dimension (with brackets)	140x63x38mm	137.6x92.8x38 mm	483x136.6x44 mm	483x136.6x44 mm
Certificate	CE	CE	CE	CE

3-Pin and 5-Pin XLR Connector Layout

5-Pin



Description

- 1 Ground
- 2 DMX –
- 3 DMX +
- 4 Spare
- 5 Spare

3-Pin

