LED Strip flex 60pcs SMD 2835 /m

Features:

1.This flexible LED strip soldered 60pcs White SMD 2835 LED lamp in one line.

2.Flexible PCB:White ,PCB Width 10mm.

3.Cutable each set of 3 LED.

4.DC12 constant Current operation. Voltage drop from start to end of12M±2v.

5.Each end soldered a 2 Pin bare wire 20AWG at 15cm length.

6.Customized length. Available

7)   Double   cooper layer &2Oz PCB with 2 sides membrane cover the pcb board. make sure the copper no drop from the pcb board .

8)10mm width PCB , 0.25mm thickness with 3M tape back side for non-weatherproof version .silicone clips installing for waterproof version

9)waterproof Ip 20/65/67/68 available

Product Parameter:

P/N	LED Quantity	Pad length	Voltage(V）	Power (W/m）	LED Brand	Luminous(LM)	Waterproof
S010060-2835	60leds/M	every 50mm	DC12V	10W(max)	sanan	1000LM	IP65/67/68

Packing details:

5m /roll , 5roll /bag , 100rolls/carton, carton size :46.5*26*46cm
weight : 9.5kg/carton

Waterproof version type：

IP22 Nonwaterproof
IP67 Waterproof A: Epoxy gel +"u" PC tube
IP65 Waterproof B: Silicon tube (removeable)
IP65 Waterproof C: Dropping Epoxy gel
IP68 Waterproof D: Silicon gel injected

IP22   IP65   IP67   IP68

IP22 Nonwaterproof
IP67 Waterproof A: Epoxy gel +"u" PC tube
IP65 Waterproof B: Silicon tube (removeable)
IP65 Waterproof C: Dropping Epoxy gel
IP68 Waterproof D: Silicon gel injected