

LED Strip flex 168pcs SMD 2835 /m




Features:

- 1.This flexible LED strip soldered 168pcs White SMD 2835 LED lamp in one line.
- 2.Flexible PCB:White ,PCB Width 6mm.
- 3.Cutable each set of 6 LED.
- 4.DC24 constant Current operation. Voltage drop from start to end of 25M \pm 2v.
- 5.Each end soldered a 2 Pin bare wire 20AWG at 15cm length.
- 6.Customized length. Available
- 7) Double cooper layer &2Oz PCB with 2 sides membrane cover the pcb board. make sure the copper no drop from the pcb board .
- 8)10mm width PCB , 0.25mm thickness with 3M tape back side for non-weatherproof version .silicone clips installing for waterproof version
- 9)waterproof Ip 20/65/67/68 available

Product Parameter:

P/N	LED Quantity	cutting length	Voltage(V)	Power (W/m)	LED Brand	Luminous(LM)	Waterproof
S010168-2835	168leds /M	every 50mm	DC24V	24W(max)	sanan	2760LM	IP65/67/68

LED Strip Dimension:



Packing details:

5m /roll , 5roll /bag , 100rolls/carton, carton size :46.5*26*46cm
weight : 9.5kg/carton



Waterproof version type:

IP ranking:

IP22 Nonwaterproof

IP67 Waterproof A: Epoxy gel + "u" PC tube

IP65 Waterproof B: Silicon tube (removeable)

IP65 Waterproof C: Dropping Epoxy gel

IP68 Waterproof D: Silicon gel injected




IP22



IP65



IP67



IP68